productive



remote

data sheet



offset press output.

hp designjet 50ps printing system B+ graphics color thermal inkjet printers

remote proofing

color accuracy

fast printing

• reduce the proofing approval cycle from days to a few hours—send files that include all content information, color profiles, and print settings to a remote site with the hp designjet 50ps remote proofing solution


HP Designjet 50ps printing system meets the specific demands of pre-press houses, reproduction companies, and printers for superior color-accurate proofs at an affordable price. This complete printing solution, with licensed technology from Heidelberg[®], delivers accurate color reproductions that emulates

- professionally reproduce accurate color proofs—technologically advanced, closed-loop-color calibration system delivers superior color reproduction from any digital file
- achieve maximum color matching—hp RIP with licensed technology from Heidelberg is specially
 designed to meet the demanding workflow requirements of the pre-press environment
- print with a wide gamut of color—reproduce vivid colors, with up to 2400 x 1200 dpi printing on hp premium photo paper, using the 6-ink system and 4-picoliter ink drop (small ink drop size maintains fine details and smooth tonal transitions)
- color match printed materials every time—automatic PANTONE®* Calibration™, offset printing emulation (Euro-Scale, SWOP, DIC, TOYO), ICC profiles for Macintosh® and Windows®, provide control color matching at every stop of your workflow
- minimize waiting for prints—the hp designjet 50ps delivers super-fast printing speeds of 4 mpp for a glossy full-bleed proof in best mode
- print high quality proofs on the media you need—deliver full-bleed 13 x 19 inch (330 x 482 mm) proofs on new hp design proofing media in glossy, semi-gloss, and matte
- reduce user intervention—modular 6-ink system has four 69 ml (CMYK) and two 28 ml (cm) cartridges that help minimize printer downtime, reduce the cost per print, and lower overall cost of ink



All of the HP printing and imaging systems easily help you create powerful, professional communications. The printers, supplies, and accessories are specifically designed to work best together. Right-sized, cost-efficient, customized HP printing systems—invented to meet your business needs.

hp designjet 50ps



features

- 16 MB RAM
- 2400 x 1200 dpi resolution using hp premium photo paper
- hp pre-press RIP with Heidelberg workflow integration
- 6-color printer (CMYKcm) with separate ink cartridges
- internal color sensor for superior color accuracy
- automatic PANTONE®* and closed-loop-color calibration
- Apple® ColorSync TM compatible
- USB, Centronics parallel, IEEE 1284-compliant printer connections
- hp jetdirect 610n network card

hp warranty and supportpack


Receive a 1-year warranty including phone support from Monday to Friday during business hours and express exchange in most countries.

With optional HP Supportpack, you can extend your warranty up to 3 years.

accessories

• optional auto-duplex unit for dual-side proofs

professional color matching



advanced RIP endorsed by Heidelberg

The HP Designjet 50ps comes standard with HP RIP software. Designed with licensed technology from Heidelberg, the HP RIP effortlessly handles your demanding workflow requirements and delivers perfect color every time.

The HP RIP adds pre-press functionality such as registration marks, crop marks, slug lines, clip to page, and color scale. Other features include CMYK emulation (SWOP, Euroscale, TOYO, DIC) and capability to add new emulations (new ICC profiles), RGB emulations, spot color editor, up to 12 color separations, and advanced queue administration. The HP RIP supports Adobe® PostScript® 3™, PDF, EPS, TIFF, and TIFF/IT (P1) file formats and operates from Windows NT® and Windows 2000 server.

quality and ease with 6-color printing

You will see better coverage along the entire color gamut using the HP Designjet 50ps printing system. Reproduce vivid colors, with up to 2400 x 1200 dpi on HP Premium photo paper, using the 6-ink system (CMYKcm) and 4-picoliter ink drop. The small ink drop size maintains fine details and smooth tonal transitions for a high-quality continuous-tone output. The modular ink system is composed of 6 individual cartridges that reduce user intervention while lowering the cost per print and overall ink cost.

powerful networking and connectivity

The included HP Jetdirect 610n networking card meets the demands for your pre-press workflow. Connect using standard interfaces via USB port or Centronics parallel port. Network card supports TCP/IP and EtherTalk protocol for printer management applications.

save time with remote proofing

How would you like to present your clients accurate color proofs printed right from your desk? With the HP Designjet 50ps, you can emulate offset production by printing files that match your printer's final output.

It is also economical and efficient to purchase this machine for your clients so they can print out your proofs anywhere in the world.

With the HP Designjet 50ps, full reliability of remote prints are assured with automatic closed-loop-color calibration and remote proofing software.

flexible media handling to meet your needs

A variety of media handling features mean you can print any job from postcard size to 13×19 inch (B+/A3+ size) while reducing time spent loading different media sizes. The HP Designjet 50ps comes with a 150-sheet and 250-sheet input tray, bypass tray holding up to 10 sheets, rear tray for manual/single-sheet feed, and an output tray holding 50 sheets.

HP offers a full variety of finishes in 13×19 inch proofing media. Use HP Proofing semi-gloss paper and HP Proofing matte paper for offset emulation on contact proofs. Or, for premium presentation proofs try HP Proofing gloss paper.

maximum productivity

The HP Designjet 50ps was specifically designed to help you increase your overall productivity.

- minimize the wait for your proofs with ultra-fast print speeds of up to 4 mpp in best mode
- enhance your workflow efficiency using the hp RIP
- reduce printer downtime and printing costs with the modular 6-ink system
- reduce the proofing approval cycle with the remote proofing solution
- add an optional auto-duplex unit for dual side proofs

HP PCs use genuine Windows® Operating Systems http://www.microsoft.com/piracy/howtotell

technical specifications

```
hp designjet 50ps
```

```
color thermal inkjet
4 mpp in best mode (B+ size)
16 MB RAM
USB port
6-color printer: C, M, Y, K, Lc, Lm
PANTONE®* certified
Apple ColorSync compatible
Software RIP CD
 User Documentation CD
```

resolution

2400 x 1,200 dpi printing resolution on HP Premium photo paper

paper handling

150-sheet input tray; 250-sheet input tray; 10-sheet bypass tray; single-sheet rear manual tray; 50-sheet output tray
Minimum paper size: 3 x 5 in

Maximum paper size: 13 x 19 in **network connectivity**

Pelvork connectivity

Networks supported: Novell® NetWare® 3.x, 4.x, 5.x, Microsoft Windows 95, 98, NT 4.0, Me, 2000, Mac OS (Ethertalk), Linux® (Web), UNIX® (Web)

IEEE-1284 compliant Centronics parallel port, and USB port; HP Jetdirect 610n network card; TCP/IP; AppleTalk®; Ethernet 10/100Base-TX, 10Base 2; Adobe PostScript 3 with HP software RIP; Microsoft Windows 98, Me, NT 4.0, 2000; Mac 8.6 or later (Mac OSX in classic mode): Office drivers for Windows

HP PIP: CMYK amulation (SW/OP Furnscrale Town, DIC) and capability to

HP RIP: CMYK emulation (SWOP, Euroscale, Toyou, DIC) and capability to add new emulations (new ICC profiles): RGB emulations; Automatic black replacement; Capability to add new medias; Enhanced layout management; file types Adobe PostScript 2 & 3, PDF, EPS, TIFF, JPEG, BMP, Spot color editor; Up to 12 color separations; Enhanced queue management; Advanced administration tool

environmental ranges

Operating temperature: 59 to 86° F (15 to 30° C) Storage temperature: -40 to 158° F (-40 to 70° C) Operating humidity: 20 to 80% RH non-condensing power requirements' Source: 100 to 240 volts (± 10%) auto-ranging

Frequency: 50 to 60 Hz 3 amps max

power consumption

Printing: 62 watts maximum

acoustics Pressure: 62 dB (A) printing

1-year limited warranty includes phone support from Monday to Friday at business hours and express exchange in most countries. Some countries may have slightly different support delivery methods depending on local infrastructure. With HP Supportpacks you can extend your warranty up to 3 years. HP Designjet 50ps: Installation and network configuration service available

printer dimensions (w x d x h)

17.41 x 28.5 x 8.78 in (442.23 x 723.92 x 223.16 mm)

printer dimensions with paper tray open (w x d x h)

21.35 x 28.5 x 8.78 in (542.23 x 723.92 x 223.16 mm)

shipping dimensions (w x d x h)

33.8 x 21.8 x 27.64 in (858 x 554 x 702 mm)

printer weight 27.55 lb (12.5 kg), 2nd sheet feeder: 6.61 lb (3 kg)

shipping weight

44.1 lb (20 kg)

product certification (varies according to region)

Safety: Compliant with the requirements for the ITE products: EU: Low Voltage Directive;

USA & Canada: CSA Certified for USA & Canada; Mexico: NOM-1-NYCE;

Argentina: IRAM; China: CCIB; Singapore: PSB; Russia: GOST; Poland: PCBC;

Electromagnetic compatibility: Compliant with the requirements for Class B ITE products (Class A when connected to LAN cables): EU EMC Directive; USA: FCC rules; Canada: DOC; Australia: ACA; New Zealand: MoC; China: CCIB; Japan: VCCI; Class A for Korea: MIC; Taiwan: BSMI

minimum system requirements

Infilimum system requirements
PC: Intel II Pentium processor, 4 GB available hard disk space; CD-ROM drive;
Windows NT 4.0 server; 384 MB RAM
Macintosh: G3 Apple Macintosh System 8.6 or later (Mac OSX in classic mode);
1 GB available hard disk space; CD-ROM drive; 128 MB RAM

ideal system requirements
PC: Intel III Pentium processor, 9 GB available hard disk space; CD-ROM drive;

Windows 2000 server; 512 MB RAM Macintosh: G4 System 9 or later (Mac OSX in classic mode); 2 GB available hard disk space; CD-ROM drive; 256 MB RAM

ordering information

C7790A HP Designjet 50ps prepress industry solution

service & support (varies according to region)

H7708A/E HP Supportpack, 3-year, express exchange

This should be purchased together with the HP Designjet printer, at latest 90 days after (180 days in Europe & North America). For more support services please visit: www.designjet.hp.com.

supplies & accessories (varies according to region)

C7795A	Auto-duplex unit				
hp printher C4813A C5019A C4812A C4811A C5012A C5020A	ads Yellow Black Magenta Cyan Light Magenta Light Cyan	HP no. 11 ink HP no. 84 ink HP no. 11 ink HP no. 11 ink HP no. 84 ink HP no. 84 ink	hp ink car C4913A C5016A C4837A C4836A C5018A C5017A	tridges Yellow Black Magenta Cyan Light Magenta Light Cyan	HP no. 82 ink HP no. 84 ink HP no. 11 ink HP no. 11 ink HP no. 84 ink HP no. 84 ink
hp premium inkjet paper 51634Y 200 sheets, letter 51634Z 200 sheets, A4 C1855A 100 sheets, legal C1856A 100 sheets, A3			hp profess C6817A C6818A C6820A C6821A	ional brochure and flyer paper Two-sided, gloss, 50 sheets, letter Two-sided, gloss, 50 sheets, A4 Two-sided, gloss, 20 sheets, legal Two-sided, gloss, 20 sheets, A3	
hp premium heavyweight coated paper C1852A 50 sheets, letter C1853A 50 sheets, A4		hp profess C6955A C6956A	onal brochure and flyer paper Matte, 50 sheets, letter Matte, 50 sheets, A4		
hp premium photo paper C6039A Gloss, 15 sheets, letter C6979A Gloss, 50 sheets, letter C6040A Gloss, 15 sheets, A4 C6058A Gloss, 20 sheets, legal C6059A Gloss, 20 sheets, A3		hp bright of C1824A C5976A C1825A C5977A C1858A	vhite inkjet paper 500 sheets, letter 200 sheets, letter 500 sheets, A4 200 sheets, A3		
hp premium plus photo paper C6831A Gloss, 20 sheets, letter C6832A Gloss, 20 sheets, A4 C6950A Matte, 20 sheets, letter C6951A Matte. 20 sheets. A4		hp proofin C7886A C7884A C7885A	Gloss, 50 sheets, B+/A3+ Semi-gloss, 50 sheets, B+/A3+ Matte, 100 sheets, B+/A3+		
hp premium inkjet transparency film C3835A 50 sheets, A4		C7013A C7014A	st photo paper 20 sheets, letter 20 sheets, A4		
hp premium plus inkjet transparency film C7028A 50 sheets, letter					

interface & cables

C6518A USB cable 2 m

network

J3110A

HP Jetdirect 610n internal print server, Ethernet (10Base-T) HP Jetdirect 610n internal print server, Ethernet (10Base-T, 10Base2) and LocalTalk 13111A

J4167A J4169A

and Localian HP Jedirect 610n internal print server, Token Ring HP Jetdirect 610n internal print server, Ethernet/Fast Ethernet (10/100Base-TX)

For more information on the HP Designjet 50ps, visit our Web site at www.hp.com and click on products and services. Here you will find information on products, supplies, and accessories for all your computing needs. HP peripherals, personal computers, supplies, and accessories are available at authorized HP resellers worldwide.

available at authorized HP resellers worldwide.

ENERGY STAR is a U.S. registered service mark of the United States Environmental Protection Agency. As an ENERGY STAR partner, HP has determined that this product meets the guidelines for energy efficiency. Adobe, the Adobe logo, and Adobe PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the USA, and other countries. Apple AppleTalk, ColorSync, and Macintosh are trademarks of Apple Computer, Inc. registered in the USA, and other countries. Intel, Pentium, and the Intel Inside logo are registered trademarks of Intel Corporation in the USA, and other countries. Microsoft, Windows, and Windows NT are registered trademarks of Microsoft Corporation in the USA, and other countries. PANTONE** is Pantone, Inc's checkstandard trademarks for color. UNIX is a registered trademark of the Open Group in the USA, and other countries. All other brand and product names are trademarks or registered trademarks or the other respective companies. The information contained in this document is subject to change without notice. HP makes no warranty of any kind with respect to this information. HP specifically disclaims the implied warranty of merchantability and filmess for a particular purpose. HP shall not be liable for any direct, indirect, incidental, consequential, or other damage alleged in connection with the furnishing or use of this information.



